

**TCC Materials**  
2025 Centre Point Boulevard, Suite 300  
Mendota Heights, MN 55120-1221

**Emergency Telephone Number:**  
651-688-9116  
**Information Telephone Number**  
651-905-8137

**Revision Date**  
Jan. 2017

---

**Section 1: Product Identification**

---

Product Type: Coal Slag Blasting Abrasive

**TCC Product Name:**  
Black Blast

---

**Section 2: Hazard Identification**

---

**Classification in accordance with 29 CFR 1910.1200**

Acute Toxicity (Oral), Category 4 (20% unknown)

Skin Corrosion / Irritation, Category 3

Eye Damage / Irritation, Category 2A

Carcinogenicity, Category 2

Specific Target Organ Toxicity - Single Exposure, Category 2 (respiratory system)

Specific Target Organ Toxicity - Single Exposure, Category 2 (digestive system and/or systemic toxicity)

Specific Target Organ Toxicity - Repeated Exposure, Category 2 (respiratory system, lungs)

**GHS LABEL ELEMENTS**

**Symbol(s)**



**Signal Word**

WARNING

**Hazard Statement(s)**

Harmful if swallowed.

Can cause skin irritation.

May cause damage to respiratory system, lungs through prolonged or repeated exposure.

**Precautionary Statement(s)**

**Prevention**

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

**Response**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth

**Storage**

Store locked up. Store in a secure, controlled area

**Disposal**

Dispose in accordance with all applicable regulations.

---

**Section 3: Hazardous Ingredients/Composition**

---

Component	Percent %	CAS
Amorphous Silicon Dioxide	48-50	7631-86-9
Aluminum oxide	18-22	1344-28-1
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	18-22	1309-37-1
Calcium Oxide	5-7	1305-78-8
Potassium Oxide	1-2	12136-45-7
Titanium Oxide	0-1	13463-67-7
Magnesium Oxide	0-1	1309-48-4
Sodium Oxide	0-1	1313-59-3
Quartz	0-0.1	14808-60-7
Cristobalite	0-0.1	14464-46-1
Beryllium	0-0.0005	7440-41-7

**Others**

Evidence may exist to indicate that components present in this material in concentrations of less than one percent (or in the case of carcinogens, less than 0.1 percent) could be released in concentrations which would exceed an established OSHA permissible exposure limit or ACGIH Threshold Limit Value, or could present a health risk to employees in those concentrations.

Employee exposure monitoring should be performed to determine exposure levels.

---

## Section 4: First Aid Measures

---

### Description of Necessary Measures

#### Inhalation:

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

#### Eye contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Do not rub eyes. Continue rinsing. Then get immediate medical attention.

#### Skin Contact:

If adverse effects occur, wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed.

#### Ingestion:

If a large amount is swallowed, get immediate medical attention. Rinse mouth.

### Most Important Symptoms/Effects

#### Acute

Respiratory tract irritation, skin irritation, eye irritation.

#### Delayed

Respiratory system damage, lung damage.

---

## Section 5: Fire Fighting Measures

---

### Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Chemical

Negligible fire hazard.

### Hazardous combustion products

None known.

### Fire Fighting Measures

Use extinguishing agents appropriate for surrounding fire. Stay upwind and keep out of low areas. Avoid inhalation of material or combustion by-products.

### Special Protective Equipment and Precautions for Firefighters

Wear full protective firefighting gear including self-contained breathing apparatus (SCBA) for protection against possible exposure.

## Section 6: Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

### Methods and Materials for Containment and Cleaning Up

Collect spilled material in appropriate container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). If sweeping of a contaminated area is necessary, use a dust suppressant agent. Move containers away from spill to a safe area. Wet down area with water.

## Section 7: Handling and Storage

### Precautions for Safe Handling

Wash thoroughly after handling. Do not breathe dust. Do not eat, drink or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

### Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. Protect from physical damage.

## Section 8: Exposure Controls/Personal Protection

### Occupational Exposure Limits:

	<b>OSHA (US)</b>	<b>OSHA Mexico*</b>	<b>ACGIH</b>	<b>NIOSH</b>
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> ) (1309-37-1)	10 mg/m <sup>3</sup> TWA (fume) 15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> TWA (respirable fraction)	5 mg/m <sup>3</sup> TWA LMPE-PPT 10 mg/m <sup>3</sup> STEL [LMPE-CT] (as Fe)	5 mg/m <sup>3</sup> TWA (respirable factor)	5 mg/m <sup>3</sup> TWA (as Fe, dust and fume) 2500 mg/m <sup>3</sup> IDLH (as Fe, dust and fume)
Silicon Dioxide (7631-86-9)	20 mppcf TWA; (80)/(%SiO <sub>2</sub> mg/m <sup>3</sup> TWA			6 mg/m <sup>3</sup> TWA 3000 mg/m <sup>3</sup> IDLH

Calcium oxide (1305-78-8)	5 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> TWA LMPE- PPT	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> TWA 25 mg/m <sup>3</sup> IDLH
Aluminum oxide (1344-28-1)	15 mg/m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> (respirable fraction)	10 mg/m <sup>3</sup> TWA LMPE-PPT		

### Appropriate Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Individual Protection Measures, such as Personal Protective Equipment

#### Respiratory protection

Where dust or vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator is required.

#### Skin protection

Wear appropriate chemical resistant clothing.

#### Glove Recommendations

Wear appropriate chemical resistant gloves.

#### Eye/Face protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

---

## Section 9: Physical and Chemical Properties

---

<b>Physical State:</b>	Coarse Solid
<b>Appearance:</b>	Black shiny solid
<b>Color:</b>	Black
<b>Physical Form:</b>	Solid
<b>Odor:</b>	No characteristic odor
<b>Odor Threshold:</b>	Not available
<b>pH:</b>	Not Available
<b>Melting Point:</b>	Not Available
<b>Boiling Point:</b>	Not Applicable
<b>Melting Point:</b>	Not Available
<b>Boiling Point:</b>	Not Applicable
<b>Flash Point:</b>	Non-Flammable, Non-Explosive
<b>Decomposition:</b>	Not Available

<b>Evaporation Rate:</b>	Not Available
<b>OSHA Flammability Class:</b>	Non-Flammable
<b>LEL:</b>	Not Available
<b>UEL:</b>	Not Available
<b>Vapor Pressure:</b>	Not Applicable
<b>Vapor Density (air = 1):</b>	Not Applicable
<b>Density:</b>	Not Available
<b>Specific Gravity (water = 1):</b>	Not Available
<b>Water Solubility:</b>	Marginal
<b>Log KOW:</b>	Not Available
<b>Coeff. Water/Oil Dist:</b>	Not Available
<b>Viscosity:</b>	Not Available

#### **Other Property Information**

No additional information is available.

---

### **Section 10: Stability and Reactivity**

---

#### **Reactivity**

No reactivity hazard is expected.

#### **Chemical Stability**

Stable at normal temperatures and pressure.

#### **Possibility of Hazardous Reactions**

Will not polymerize.

#### **Conditions to Avoid**

Avoid accumulation of airborne dusts.

#### **Incompatible Materials**

none

#### **Hazardous Decomposition**

**Combustion:** miscellaneous decomposition products.

---

### **Section 11: Toxicological Information**

---

#### **Acute and Chronic Toxicity**

##### **Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following endpoints are published:

##### **Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)**

Oral LD50 Rat >10000 mg/kg

##### **Silicon Dioxide (7631-86-9)**

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg

##### **Calcium oxide (1305-78-8)**

Oral LD50 Rat 500 mg/kg

**Aluminum oxide (1344-28-1)**

Oral LD50 Rat >5000 mg/kg

**Information on Likely Routes of Exposure**

**Inhalation**

Throat irritation, difficulty breathing.

**Ingestion**

Diarrhea, stomach pain, difficulty breathing

**Skin Contact**

Skin irritant

**Eye Contact**

Eye irritant

**Immediate Effects**

Eye and Skin Irritant, Shortness of Breath

**Delayed Effects**

Respiratory system damage

**Medical Conditions Aggravated by Exposure**

Respiratory disorders, eye disorders, skin disorders

**Irritation/Corrosivity Data**

Respiratory tract irritant, skin irritant, eye irritant

**Local Effects**

**Calcium oxide (1305-78-8)**

**Corrosive:** inhalation, skin, eye, ingestion

**Respiratory Sensitization**

No data available.

**Dermal Sensitization**

No data available.

**Carcinogenicity**

Available data characterizes components of this product as possible carcinogen hazards.

**Component Carcinogenicity**

**Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)**

**ACGIH:** A4 - Not Classifiable as a Human Carcinogen

**IARC:** Supplement 7 [1987]; Monograph 1 [1972] (Group 3 (not classifiable)).

**DFG:** Category 3B (could be carcinogenic for man, with the exception of non-bioavailable ferrous oxides).

**Silicon Dioxide (7631-86-9)**

**IARC:** Monograph 68 [1997]; Supplement 7 [1987] (Group 3 (not classifiable))

**Aluminum oxide (1344-28-1)**

**DFG:** Category 2 (considered to be carcinogenic for man, fiber dust)

**Mutagenic Data**

No data available.

**Reproductive Effects Data**

Not data available.

**Tumorigenic Data**

No data available.

**Specific Target Organ Toxicity – Single Exposure**

Respiratory system, digestive system

**Specific Target Organ Toxicity – Repeated Exposure**

Respiratory system, lungs

**Aspiration Hazard**

No data available.

---

**Section 12: Ecological Information**

---

**Ecotoxicity**

**Component Analysis – Aquatic Toxicity**

**Silicon Dioxide (7631-86-9)**

**Fish:** 96 Hr LC50 Brachydanio rerio: 5000 mg/L [static]

**Algae:** 72 Hr EC50 Pseudokirchneriella subcapitata: 440 mg/L

**Invertebrate:** 48 Hr EC50 Ceriodaphnia dubia: 7600 mg/L

**Calcium oxide (1305-78-8)**

**Fish:** 96 Hr LC50 Cyprinus carpio: 1070 mg/L [static]

**Persistence and Degradability**

No information available for the product.

**Bioaccumulative Potential**

No information available for the product.

**Mobility**

No information available for the product.

---

**Section 13: Disposal Considerations**

---

**Disposal Methods**

Dispose of in accordance with federal, state, and local regulations.

---

**Section 14: Transportation**

---

**US DOT Information**

Shipping Name: Not Regulated

**IMDG Information**

Shipping Name: Not Regulated



---

**Section 15: Regulatory Information**

---

**Component Analysis**

**U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372-65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require OSHA process safety plan.

**Aluminum oxide (1344-28-1)**

**SARA 313:** 1.0 % de minimis concentration (fibrous forms)

**SARA 311/312 Hazardous Categories**

**Acute Health:** Yes **Chronic Health:** Yes **Fire:** No **Pressure:** No **Reactive:** No

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	1309-37-1	Yes	Yes	Yes	Yes	Yes
Silicon Dioxide	7631-86-9	Yes	Yes	Yes	Yes	Yes
Calcium oxide	1305-78-8	Yes	Yes	Yes	Yes	Yes
Aluminum oxide	1344-28-1	Yes	Yes	Yes	Yes	Yes
Titanium oxide	7440-66-6	Yes	Yes	No	Yes	Yes
Potassium oxide	12136-45-7	Yes	Yes	No	Yes	Yes
Magnesium oxide	1309-48-4	Yes	Yes	No	Yes	Yes
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	1313-59-3	Yes	Yes	Yes	Yes	Yes

**Component Analysis - Inventory**

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	1309-37-1	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Silicon Dioxide	7631-86-9	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Calcium oxide	1305-78-8	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Aluminum oxide	1344-28-1	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Titanium oxide	7440-66-6	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes
Potassium oxide	12136-45-7	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes
Magnesium oxide	1309-48-4	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes
Sodium oxide	1313-59-3	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes

**NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

---

### Section 16: Other Information

---

Additional information on the products is available at. [www.tccmaterials.com](http://www.tccmaterials.com)

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.