

**ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.**Version 2.  
REVISION DATE: 03/11/2009

Print Date 03/12/2009

**SECTION 1 - PRODUCT IDENTIFICATION / PREPARATION INFORMATION****Product Information**Trade name : ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.  
Product code : 71001W1760Supplier : Tremco Canada division  
220 Wicksteed Avenue  
Toronto, ON M4H 1G7Telephone : (416) 421-3300  
Emergency Phone: : (613) 996-6666

Product use : Tape

**Preparation Information**Prepared by: : Sewnauth Raghunandan  
Date: : 03/11/2009  
Telephone : (416) 421-3300**SECTION 2 - HAZARDS IDENTIFICATION****Emergency Overview**

Gray. Semi-Solid. No serious effects anticipated under normal conditions of use. Generally not required under normal conditions of use.

**Acute Potential Health Effects/ Routes of Entry**Inhalation : No serious effects anticipated under normal conditions of use.  
Eyes : Not applicable under normal conditions of use. Direct contact may cause temporary redness and discomfort.  
Ingestion : No known adverse effects.  
Skin : No effects anticipated.**Aggravated Medical Conditions**

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

**Chronic Health Effects**

Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica. Prolonged and repeated exposure to excessive airborne concentrations of talc can result in scarring of the lungs (pneumoconiosis) or the covering of the lungs (pleural thickening).

**SECTION 3 : HAZARDOUS INGREDIENTS**

This is not a controlled product as defined in the Canadian Workplace Hazardous Materials Information System (WHMIS).

**SECTION 4 - FIRST AID MEASURES**

Get immediate medical attention for any significant overexposure.

**ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.**

Version 2.  
REVISION DATE: 03/11/2009

Print Date 03/12/2009

- Inhalation : Generally not required under normal conditions of use.
- Eye contact : Generally not required under normal conditions of use.
- Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
- Ingestion : Get medical attention. Do not induce vomiting.

**SECTION 5: FIRE / EXPLOSION HAZARDS**

- Flash point : Not available.
- Method : Not available.
- Burning rate : Non-flammable solid
- Lower explosion limit : Not available.
- Upper explosion limit : Not available.
- Autoignition temperature : Not available.
- Extinguishing media : If water fog is ineffective, use carbon dioxide, dry chemical or foam.
- Hazardous combustion products : Smoke, fumes. Carbon monoxide and carbon dioxide can form.
- Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
- Fire and explosion conditions : This product not expected to ignite under normal conditions of use.

**SECTION 6 - SPILLS / LEAKS / ACCIDENTAL RELEASE MEASURES**

Transfer to appropriate container for disposal.

**SECTION 7 - HANDLING AND STORAGE**

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Store under dry warehouse conditions away from heat and all ignition sources.

**SECTION 8 - PREVENTIVE MEASURES/EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Personal protection equipment**
- Respiratory protection : Not required under normal conditions of use.
  - Hand protection : Protect hands with impervious gloves.
  - Eye protection : Generally not required under normal conditions of use. Use safety glasses if eye contact is likely.
  - Skin and body protection : Not required.
  - Protective measures : Other equipment not normally required. Use professional judgment in the selection, care, and use.
- Engineering measures** : Not required under normal conditions of use. Use only in well ventilated areas. Provide maximum ventilation in enclosed areas.

**ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.**

Version 2.

Print Date 03/12/2009

REVISION DATE: 03/11/2009

**Exposure Limits**

Chemical Name	CAS Number	Regulation	Limit	Form
Amorphous silica	7631-86-9	Ontario TWA:	3 mg/m3	Respirable particles.
		Ontario TWA:	10 mg/m3	Inhalable particulate.
		ACGIH TWA:	3 mg/m3	Respirable particles.
		ACGIH TWA:	10 mg/m3	Inhalable particles.
		Ontario TWA:	10 mg/m3	
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	Ontario TWA:	0.10 mg/m3	Respirable fraction.
		ACGIH TWA:	0.025 mg/m3	Respirable fraction.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical State	: Solid tape bulk
Form	: Semi-Solid
Color	: Gray
Odor	: Negligible
pH	: Not available.
Vapour pressure	: Not available.
Vapor density	: Heavier than air
Melting point/range	: Not available.
Freezing point	: Not available.
Boiling point/range	: Not available.
Water solubility	: Negligible
Evaporation Rate:	: Not available.
Specific Gravity	: 1.48
% Volatile Weight	: 0 %

**SECTION 10 - REACTIVITY / STABILITY**

Substances to avoid	: Oxidizing agents.
Stability	: Material is stable under normal storage, handling, and use.
Hazardous polymerization	: Will not occur under normal conditions.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

No Data Available

**ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.**

Version 2.  
REVISION DATE: 03/11/2009

Print Date 03/12/2009

**SECTION 12 - ECOLOGICAL INFORMATION**

No Data Available

**SECTION 13 - WASTE DISPOSAL CONSIDERATIONS**

Disposal Method : Dispose in suitable container as non-hazardous waste according to all applicable regulations.

**SECTION 14 - TRANSPORTATION / SHIPPING DATA**

**TDG / DOT Shipping Description:**  
NOT REGULATED

**SECTION 15 - REGULATORY INFORMATION**

**North American Inventories:**

All components are listed or exempt from the TSCA inventory.  
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

**Canadian Regulations:**

WHMIS Classification : Not Controlled

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

**Other Regulations:**

Regulatory VOC (less water and exempt solvent) : 0 g/l

**SECTION 16 - OTHER INFORMATION**

**HMIS Rating :**

Health	1
Flammability	1
Reactivity	0
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

**Further information:**

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

**Prepared by: Sewnauth Raghunandan**

**ET440 1/8" RD ALUM/GREY 780FT 26 x 30 ft.**

Version 2.

Print Date 03/12/2009

REVISION DATE: 03/11/2009

**Legend**

ACGIH - American Conference of Governmental Hygienists  
DOT - Department of Transportation  
DSL - Domestic Substance List  
EPA - Environmental Protection Agency  
HMIS - Hazardous Materials Information System  
IARC - International Agency for Research on Cancer  
MSHA - Mine Safety Health Administration  
NDSL - Non-Domestic Substance List  
NIOSH - National Institute for Occupational Safety and Health  
NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration  
PEL - Permissible Exposure Limit  
RCRA - Resource Conservation and Recovery Act  
STEL - Short Term Exposure Limit  
TLV - Threshold Limit Value  
TSCA - Toxic Substances Control Act  
TWA - Time Weighted Average  
V - Volume  
VOC - Volatile Organic Compound  
WHMIS - Workplace Hazardous Materials Information System