

Material Safety Data Sheet

Lincoln Antispatter

Date of Preparation: November 2005

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Lincoln Antispatter Compound

Chemical Formula: 2005-7

Manufacturer: JTM Products, Inc., 31025 Carter Street, Solon, OH 44139, Phone (440) 287-2302, FAX (440) 287-3095
(CHEM-TEL 24-hour emergency: (800) 255-3924)

Section 2 - Composition / Information on Ingredients

Antispatter is a proprietary blend of ionic & nonionic surfactants, water and inhibitors. It may contain dye(s) and/or fragrances. There are no known hazardous ingredients present at any reportable quantities.

Section 3 - Hazards Identification

☆☆☆☆ Emergency Overview ☆☆☆☆

Potential Health Effects

Primary Entry Routes: Not Hazardous

Carcinogenicity: IARC, NTP, and OSHA do not list the ingredients in Lincoln Antispatter Compound as carcinogens.

HMIS
H 1
F 0
R 0
PPE†
†Sec. 8

Section 4 - First Aid Measures

Eye Contact: Flush with copious volumes of water for 15 minutes while holding eyelids open.

Skin Contact: Wash with water.

If irritation persists, call a physician.

Section 5 - Fire-Fighting Measures

Flash Point: >220 °F (>104 °C)

Flash Point Method: NA, contains water

Autoignition Temperature: NA

Extinguishing Media: Water, water fog, alcohol foam, carbon dioxide or dry chemical are all suitable.

Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: None

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

LEL: NA

UEL: NA

Flammability Classification: 0

NFPA



Section 6 - Accidental Release Measures

Spill /Leak Procedures:

Containment: For large spills, dike far ahead of liquid spill for later disposal.

Cleanup: Place the bulk of any spilled material into drums, then rinse any remaining material to sewage treatment facility, in accordance with any applicable regulations.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Handling Precautions: No special precautions are required.

Storage Requirements: No special precautions are required.

Regulatory Requirements: No known regulatory requirement for handling and storage.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls: **Ventilation:** Provide general or local exhaust ventilation systems.

Administrative Controls:

Respiratory Protection: If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Lincoln Antispatter

Protective Clothing/Equipment: Wear chemically protective gloves to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: Liquid	pH: 9.7±1
Appearance and Odor: red with bland aroma	Water Solubility: soluble in water
Odor Threshold: NA	Boiling Point: >210 °F
Vapor Pressure: NA	Freezing/Melting Point: <32 °F
Vapor Density (Air=1): NA	Viscosity: ~5 cps
Formula Weight: NA (blend)	Refractive Index: unknown
Density: 8.3 lbs./gal.	Surface Tension: unknown
Specific Gravity (H₂O=1, at 4 °C): 1.0	% Volatile: >95
	Evaporation Rate: NA

Section 10 - Stability and Reactivity

Stability: Lincoln Antispatter Compound is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization will not occur.

Chemical Incompatibilities:

Conditions to Avoid: Avoid contact with strong oxidizing agents, strong acids or strong bases.

Hazardous Decomposition Products: Thermal oxidative decomposition of Lincoln Antispatter Compound can produce oxides of carbon and nitrogen.

Section 11 - Toxicological Information

Toxicity Data:

Eye Effects: Eye irritant.

Skin Effects: Slight skin irritant if allowed to remain in contact with the skin.

Section 12 - Ecological Information

Ecotoxicity: Environmental Fate

Environmental Transport: Unknown. **Environmental Degradation:** Unknown. **Soil Absorption/Mobility:** Unknown.

Section 13 - Disposal Considerations

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

Not hazardous under DOT regulations.

Section 15 - Regulatory Information

EPA Regulations: None apply.

Section 16 - Other Information

Prepared By: J. Cahoon **Approved By:** J. Cahoon

Disclaimer: JTM PRODUCTS, INC. makes no warranty, expressed or implied, as to the accuracy, completeness, or reliability of information contained herein, except that such information is, to the best of JTM's knowledge and belief, accurate as of the date indicated. It is for the purchaser and/or user to decide whether this information is suitable for his purposes.

revised 11/2005 with review of component MSDS information