MATERIAL SAFETY DATA SHEET

PART# 66261074700 DATE PRINTED: JUL 31, 2007 MSDS NO. ALBTX001 OUTBOUND Aluminum Oxide Bear Tex Product



1. CHEMICAL PRODUCT AND COMPANY INFORMATION SECTION

PRODUCT NAME Aluminum Oxide Bear Tex Product TRADE NAME Bear Tex MANUFACTURER (4) Saint-Gobain Abrasives, Inc. 910 C. Austin Drive Pharr, TX 78577 USA 956-283-9093 REVISION DATE 1/22/2007 MSDS PRINT FORMAT NUSA

2. COMPOSITION/INFORMATION ON INGREDIENTS SECTION

SUBSTANCE DESCRIPTION		PERCENT	CAS#	
Aluminum Oxide, Non-fibrous Backing(Poly/Nylon) Binder System	**	15.000- 25.000 45.000- 55.000 10.000- 30.000	N/A	

** SUBSTANCE IS A COMPOUND AND/OR MIXTURE OTHER Not Applicable

3. HAZARDS IDENTIFICATION SECTION

INHALATION ACUTE EXPOSURE EFFECTS May cause coughing at high concentrations and shortness of breath. INHALATION CHRONIC EXPOSURE EFFECTS May affect breathing capacity. EYE CONTACT ACUTE EXPOSURE EFFECTS Dust may irritate eyes. SKIN CONTACT ACUTE EXPOSURE EFFECTS Not absorbed through the skin; may cause abrasions. INGESTION ACUTE EXPOSURE EFFECTS No known adverse effects, but ingestion not recommended.

SECTION 4. FIRST AID MEASURES

INHALATION Remove to fresh air. Obtain medical assistance if needed. SKIN CONTACT Wash affected area with soap and water. If needed, obtain medical assistance. EYE CONTACT

Wash with large amounts of water. Obtain first aid and medical assistance, if needed. INGESTION Obtain medical assistance, if necessary.

SECTION 5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES Use self-contained breathing apparatus. HAZARDOUS PRODUCTS/COMBUSTION Not Applicable HAZARD RATING SOURCE

HEALTH 1 FLAMMABILITY REACTIVITY 0 OTHER

6. ACCIDENTAL RELEASE MEASURES SECTION

CLEAN-UP Eliminate ignition sources.

SECTION 7. HANDLING AND STORAGE

HANDLING Handle with adequate ventilation for nuisance dust.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION SECTION

VENTILATION PROTECTION Handle with adequate ventilation. See OSHA 29 CFR 1910.94 (ventilation) and 29 CFR 1910.1000 (Air contaminants). RESPIRATORY PROTECTION As needed, approved dust respirators. See OSHA 29CFR 1910.134. EYE PROTECTION Recommended. OTHER PROTECTION Not Applicable

9. PHYSICAL AND CHEMICAL PROPERTIES SECTION

APPEARANCE & ODOR Nylon Backed Coated Abras. Material.

SECTION 10. STABILITY AND REACTIVITY

INCOMPATIBILITIES None. DECOMPOSITION Not Applicable

SECTION 11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY
Not Applicable
LD50/LC50
Values are not appropriate or available.

SECTION 12. ECOLOGICAL INFORMATION

CHEMICAL FATE
Not Applicable

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Follow landfill methods consistent with applicable federal, state and local laws.

SECTION 14. TRANSPORT INFORMATION

HAZARD CLASS
This product is not hazardous as defined by the Department of Transportation.(USA)
This product is "Not Regulated" under the Transportation of Dangerous Goods Act. (CAN)

SECTION 15. REGULATORY INFORMATION

EXPOSURE LIMITS/REGULATORY INFORMATION

SUBSTANCE DESCRIPTION	UNITS	OSHA	ACGIH	MOL	
Aluminum Oxide, Non-fibrous		45.0000	10 0000	10 0000	
Who are st retained in particle for the second	MG/M3	15.0000	10.0000	10.0000	
Backing(Poly/Nylon)					
	PPM	0.0000	0.0000	0.0000	
Binder System	PPM	0.0000	0.0000	0.0000	

LEGEND:

EXPOSURE LIMIT DESCRIPTIONS
CA PROP 65
Not Applicable
TSCA
Section 8(b) - Inventory Status

All components of this product are registered under the regulations of the Toxic Substance Control Act.

DOMESTIC SUBSTANCE LIST

All components of this product are found on the Domestic Substance List.

SECTION 16. OTHER INFORMATION

DISCLAIMER

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, the Company makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

KEY TO ABBREVIATIONS:

EQ=EQual

AP=APproximately

LT=Less Than

TR=TRace

GT=Greater Than

ND=No Data available