

MATERIAL SAFETY DATA SHEET

JohnsonDiversey
Clean is just the beginning



SPITFIRE SC Power Cleaner

HMIS		NFPA	Personal protective equipment	
Health	3	3		
Fire Hazard	0	0		
Reactivity	0	0		

Version Number: 1

Preparation date: 2009-08-31

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SPITFIRE SC Power Cleaner

MSDS #: MS0300502

Product Code: 5273489, 5273497, 5273518, 5273526

Recommended use: Heavy Duty Cleaner and Degreaser . This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

US Headquarters
JohnsonDiversey, Inc.
8310 16th St.
Sturtevant, Wisconsin 53177-1964
Phone: 1-888-352-2249
MSDS Internet Address:
www.johnsondiversev.com

Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle
Oakville, Ontario L6H 6P1
Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Corrosive. Causes permanent damage.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: May be irritating to mouth, throat and stomach .

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Alcohol ethoxylates	68439-46-3	10 - 20%	1400	>2 g/kg	Not available
Monoethanolamine	141-43-5	5 - 10%	1720	1 mL/kg	Not available
2-butoxyethanol	111-76-2	10 - 20%	470	220 mg/kg	2.21 mg/L (4 h); 450 ppm (4 h)
Benzyl alcohol	100-51-6	5 - 10%	1230	2000 mg/kg	8.8 mg/L (4 h)
Lauryl dimethyl amine oxide	1643-20-5	1 - 5%	2700	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical attention immediately.

Skin contact: Immediately flush with plenty of water for 15-20 minutes . Get medical attention immediately.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:
Environmental precautions
and clean-up methods:**

Use personal protective equipment
Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. Do not mix with any other product or chemical. May react to release hazardous gases. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves

Skin and body protection:

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m ³ (TWA)	6 ppm (STEL) 15 mg/m ³ (STEL) 8 mg/m ³ (TWA) 3 ppm (TWA)
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 240 mg/m ³ (TWA) 50 ppm (TWA)	75 ppm (STEL) 360 mg/m ³ (STEL) 26 ppm (TWA) 120 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
pH: 12.5
Appearance: Aqueous solution
Color: Clear Red
Odor: Pine Fresh
Specific gravity: 1.026
Density: 8.56 lbs/gal 1.026 Kg/L
VOC: 19.7% *
Flash point: >200°F >93.4°C
Solubility: Completely Soluble
Viscosity: No information available

Bulk density: No information available
Dilution pH: 11.45 @ 1:12
Vapor density: No information available
Evaporation Rate: No information available
Boiling point/range: Not determined
Melting point/range: Not determined
Decomposition temperature: Not determined
Autoignition temperature: No information available
Partition coefficient (n-octanol/water): No information available
Solubility in other solvents: No information available
Elemental Phosphorus: 0.00% by wt.

Explosion limits: - lower: Not determined- upper: Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:

The product is stable

Polymerization:

Hazardous polymerization does not occur

Hazardous decomposition products:

None reasonably foreseeable.

Materials to avoid:

Acids. Strong oxidising agents.

Conditions to avoid:

Do not mix with any other product or chemical.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive. Oral LD50 estimated to be between 2000 - 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known

Mutagenic effects: None known

Reproductive toxicity: None known

Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.
RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Monoethanolamine	141-43-5	X	X	X	X
Water	7732-18-5	-	-	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
2-butoxyethanol	111-76-2	X	X	X	X
Benzyl alcohol	100-51-6	X	X	X	-
Alcohol ethoxylates	68439-46-3	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	10 - 20%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	X		

SARA 311/312 Hazard Categories

Immediate: x

Delayed: -

Fire: -

Reactivity: -

Sudden Release of Pressure: -

Canada



WHMIS hazard class: E Corrosive material.

16. OTHER INFORMATION

Reason for revision: Not applicable

16. OTHER INFORMATION

Prepared by: NAPPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.